



International

Made in Germany

# Motorhomes







# Motorhomes Adventure Edition



**Soft furnishing  
Adventure**





Sunlight

RV SL 680

















































I 68



T 68

























# Models Overview

## Adventure Edition



|   | T 67 S   | T 68  |
|---|--|---|
|   |  |  |
| Permitted number of persons                           | 4 <sup>1)</sup>  | 4 / 5 <sup>OPT + 1)</sup>   |
| Berths  | 2 / 4 <sup>OPT</sup>   | 2 / 5 <sup>OPT</sup>  |
| Length / Width / Height (cm)                          | 696 / 232 / 306  | 740 / 232 / 306   |
| Headroom in living area (cm)                          | 210  | 210   |
| Standard chassis                                      | Fiat Ducato  | Fiat Ducato   |
| Mass in running order (kg)                            | 2944 <sup>2)</sup>   | 3023 <sup>2)</sup>  |
| Maximum load, approx. (kg)                            | 556<br>706 <sup>OPT</sup>  | 477<br>627 <sup>OPT</sup>   |
| Wheelbase (cm)  | 380  | 404   |
| Bed size overcab / pull-down bed (cm)                 | 195 × 140 / 110 <sup>OPT</sup>   | 195 × 140 / 110 <sup>OPT</sup>  |
| Bed dimension: Central / middle bed, L × W (cm)       | –  | 210 × 65 <sup>OPT</sup>   |
| Bed dimension: Rear bed, L × W (cm)                   | 190 × 80<br>200 × 80<br>190 / 200 × 210  | 210 × 80<br>215 × 80<br>210 / 215 × 210   |
| Refrigerator volume incl. freezer (l)                 | 167 (29)   | 167 (29)  |
| Sockets: 230 V  | 4  | 5   |
| Sockets: USB  | 4  | 4   |
| Inner dimensions storage locker right/left W × H (cm) | 98 × 110<br>75 × 110   | 95 × 110<br>75 × 80   |





T 69 L



4 / 5 OPT + 1)

3 / 5 OPT

740 / 232 / 306

210

Fiat Ducato

3020 <sup>2)</sup>480  
630 OPT

404

195 × 140 / 110 OPT

210 × 65

195 × 150

167 (29)

5

4

105 × 90  
65 × 90

I 67 S

4 <sup>1)</sup>

4

698 / 232 / 306

210

Fiat Ducato

3018 <sup>2)</sup>482  
632 OPT

380

200 × 150

—

190 × 80  
200 × 80  
190 / 200 × 210

167 (29)

4

4

95 × 110  
75 × 80

I 68



4 / 5 OPT + 1)

4 / 5 OPT

741 / 232 / 306

210

Fiat Ducato

3097 <sup>2)</sup>403  
553 OPT\*

404

200 × 150

210 × 65 OPT

210 × 80  
215 × 80  
210 / 215 × 210

167 (29)

5

4

95 × 110  
75 × 80

I 69 L



4 / 5 OPT + 1)

5

741 / 232 / 306

210

Fiat Ducato

3094 <sup>2)</sup>406  
556 OPT

404

200 × 150

210 × 65

195 × 150

167 (29)

5

4

105 × 90  
65 × 90

## Technical data

**Standard engine**  
2,2l MJet

**kW (hp)**  
88 (120)

**Technically permissible total mass (kg)**  
3.500 kg / 3650 OPT

**Towing weight 12 % braked (unbraked) (kg)**  
2.000 / 750 kg

**Tire size**  
225 / 75 R 16 CP

**Water tank incl. boiler (red. Vol.)<sup>3</sup>**  
122 (20) l

**Waste water tank**  
92 l

**Battery / Charger**  
95 Ah / 18 A

**Heating type**  
Combi 6 Gas



# Standard equipment



## BASIC VEHICLE



- Fiat Ducato 2,2 l Multijet 88 kW (120 BHP)  
– EURO 6
- Cruise control
- Eco Pack Start & Stop function incl. booster
- Manual cab air conditioning
- Wide-track chassis
- Front Wheel Drive
- Daytime running lights, integrated in headlights
- Driver airbag
- Passenger airbag
- ABS, EBD, ESP incl. ABS and hillholder
- Electric operated cab windows and central locking<sup>®</sup>
- Panoramic laminated glass windshield all-round<sup>7)</sup>
- Low vibration, electrical and heated cab mirrors in coach optic with wide angle<sup>7)</sup>
- Fix & Go breakdown kit
- Central cup holder
- Comfortable driving experience with rear and front axle stabilizers
- Disc brakes, heat convection, tachometer, power steering, immobiliser, 3-point seat belt
- Tablet holder and USB port
- Driver and passenger seats with armrests & upholstered covers
- Driver and passenger seats swivel
- Height and rake adjustment for driver seat (passenger seat as an option)

## BATHROOM



- Variobath<sup>10)</sup>
- Spacious bathroom with separate shower on the opposite side<sup>®</sup>
- Swivel cassette toilet with electric flush
- Large mirrors
- Roof vent with integrated flyscreen blind (depending on model)
- Flexible railing system with two hooks
- Clothes rail in bathroom

## CONVERSION



- 7-year water ingress warranty<sup>®</sup>
- GRP (glass fibre reinforced plastic) roof and rear wall
- Aluminium sidewalls
- Roof and sidewall thickness: 34 mm, floor thickness: 41 mm
- Rear moulding with integrated lights in three parts
- Cab blinds for best insulation and privacy shield<sup>7)</sup>
- High quality entrance door with ergonomic handle inside and outside
- Flyscreen door (one-piece)
- Double glazed hinged window with cassette blinds and flyscreens (except for bathroom)
- Roof light with frosted perspex glass and flyscreen
- Electric entrance step<sup>4)</sup>
- Coupé entrance<sup>7)</sup>
- Large rear garage with lowered frame, lashing rings and interior lighting (depending on model)
- Splash water seals for the exterior storage locker and doors
- Payload in garage up to 150 kg

## COMFORT



- Isofix for 2 seats
- Ergonomically shaped upholstery for improved seat comfort
- L-shape lounge with free-standing and rotating table<sup>9)</sup>
- Table extension<sup>10)</sup>
- High-quality mattress in all beds
- Mattress cover removable and washable
- Wooden slatted frame in all fixed-beds for better sleeping comfort
- Pull-down bed with Klima-Plux elements as standard on A-Class models
- Ventilation for storage locker and seat backrest
- Spacious storage compartments and storage options
- Furniture colour Sensual Oak and Cosy White
- Floor CClassic Ambience

## INSTALLATIONS



- Overhead locker with integrated LED light
- High-performance, maintenance-free leisure battery (95 Ah AGM)
- Bord-control-panel supplies information about filling levels and battery capacity
- Automatic switching and separating systems for starter and leisure battery as well as for refrigerator
- Electric charger for leisure and vehicle battery 12 V / 18 A
- CEE 230 V external socket with safety device
- Residual Current Device (RCD)
- LED interior light
- LED-Awning light
- 4 x USB Socket (layout depending)

## KITCHEN



- Ergonomically arranged kitchen with spacious work top
- Large drawers with soft-close in the kitchen unit
- 3-burner hob with cast iron pan support and glass lid
- Large, round kitchen sink in stainless steel with black glass lid
- Water tank incl. boiler 122 l, waste water tank 92 l
- Waste bin
- Flexible railing system with two hooks
- LED light-band

## HEATING / GAS SUPPLY



- Gas bottle locker for 2 x 11 kg gas bottles
- Combi 6 gas heating with integrated 10 l boiler
- Gas control valves easily accessible and centrally arranged

## SOFT FURNISHING



- Adventure



# Extended Special edition features

Made In Germany





## Best value for money

Extensive equipment included  
[www.sunlight.de/en](http://www.sunlight.de/en)

- Fiat Ducato 2,2 l Multijet 88 kW (120 BHP) – EURO 6
- Chassis colour black <sup>4)</sup>
- Painted bumper <sup>4)</sup>
- FIAT original 16" alloy wheels for Light Chassis
- Soft furnishing Adventure
- Black matt Adventure Decals
- Pack All-In-One (Awning, bike rack for 3 bikes, 22" flat screen + holder, Teleco Flatsat Classic 65
- Cab sunroof <sup>4)</sup>
- High quality entrance door with window
- Framed windows
- High-level rear light cluster
- 90 l fuel tank
- 2<sup>nd</sup> external storage door (size depends on layout)
- Large 167 l fridge with separate 29 l freezer compartment
- Bed conversion for seating area <sup>5)</sup>
- Bed conversion single to double bed <sup>6)</sup>
- Pre-cabling reversing camera
- Headlights with black frame <sup>4)</sup>
- Basic Pack
- Style Pack



# Optional extras

|  <b>BASIC VEHICLE</b>   | Weight | T 67 S AE | T 68 AE | T 69 LAE | I 67 S AE | I 68 AE | I 69 LAE |
|--|--------|-----------|---------|----------|-----------|---------|----------|
| Fiat Ducato 2,2 l Multijet 103 kW (140 BHP) – EURO 6   | /      | •         | •       | •        | •         | •       | •        |
| Fiat Ducato 2,2 l Multijet 118 kW (160 BHP) – EURO 6   | 15 kg  | •         | •       | •        | •         | •       | •        |
| Weight increase to 3,65 t (no chassis modification)  | /      | •         | •       | •        | •         | •       | •        |
| 9 shift automatic gearbox <sup>10)</sup> (not in conjunction with 120 bhp)                               | 18 kg  | •         | •       | •        | •         | •       | •        |
| Multifunction steering wheel   | 0,4 kg | •         | •       | •        | •         | •       | •        |
| Full LED Headlamps incl. wiping indicators and LED daytime running lights                                | /      | •         | •       | •        | –         | –       | –        |
| Full Digital Cluster <sup>11)</sup>  | 0,3 kg | •         | •       | •        | •         | •       | •        |
| LED daytime running lights <sup>12)</sup>  | /      | •         | •       | •        | –         | –       | –        |
|  <b>CONVERSION</b>      |        |           |         |          |           |         |          |
| Two rear corner steadies   | 6 kg   | •         | •       | •        | •         | •       | •        |
| Insulated waste water tank   | 8 kg   | •         | •       | •        | •         | •       | •        |
|  <b>COMFORT</b>         |        |           |         |          |           |         |          |
| Bed conversion for seating area <sup>5)</sup>  | 5 kg   | –         | •       | ◦        | –         | •       | ◦        |
| Pull-down bed with Clima-Plux elements   | 44 kg  | •         | •       | •        | ◦         | ◦       | ◦        |
| 5 <sup>th</sup> seat on side bench with seat belt <sup>13)</sup>   | 15 kg  | –         | •       | •        | –         | •       | •        |
| Carpet   | 5 kg   | •         | •       | •        | •         | •       | •        |
| Wooden duckboard for the shower tray   | 2 kg   | •         | •       | •        | •         | •       | •        |
| Foldable window blinds   | 7,5 kg | •         | •       | •        | ◦         | ◦       | ◦        |
|  <b>INSTALLATIONS</b> |        |           |         |          |           |         |          |
| Second AGM leisure battery 95 Ah   | 27 kg  | •         | •       | •        | •         | •       | •        |
| Heating Combi 6 E (with el. heating element) incl. digital control panel                                 | 2 kg   | •         | •       | •        | •         | •       | •        |
| Floor heating electric in living area  | 6 kg   | •         | •       | •        | •         | •       | •        |
| Pre-cabling solar system   | 2 kg   | •         | •       | •        | •         | •       | •        |
| Oven in kitchen  | 12 kg  | •         | •       | •        | •         | •       | •        |
| Extractor fan  | 3 kg   | •         | •       | •        | •         | •       | •        |

All prices are recommended retail prices in EUR, based on the German retail prices. Prices in other countries may differ due to currency, country specific VAT, country specification, On The Road Charges or import duties. Please contact your local dealer for the applicable prices, taxes and duties for your country.

- General note on permitted persons: With the installation of factory chassis options, optional equipment and packages, the permitted number of passengers can be reduced or a load uprating may be needed (see optional extras). Homologation of more than 4 persons only in conjunction with the safety pack (Overcab) or the optional 5<sup>th</sup> seat (Semi-Integrated / Integrated).
- The “mass in running order” (MRO) is defined by VO (EU) 1230 / 2012. It refers to the basic version including basic equipment (75 kg for driver, filled fuel tank, filled water tank in driving position, gas filled in an aluminum bottle (15 kg) and electrical connection cable (4 kg)).
- Capacity of fresh water tank within the Regulation VO (EU) 1230/2012, taking into account the limitation valve on the fresh water tank (20 litres) is open. The technically permissible total mass and the permissible axle loads must not to be exceeded.

- For low-profile models.
- For T 69 L, I 69 L.
- For T 68, I 68, T 67 S, I 67 S.
- for Integrated models
- The water ingress warranty conditions of Sunlight GmbH apply.
- For T 68, T 69 L, I 68, I 69 L.
- For T 67 S, I 67 S.
- Only in conjunction with multifunction steering wheel.
- Not in conjunction with full LED headlights.
- When ordering the option „5<sup>th</sup> seat on side bench with safety belt“, the interior storage space flap is not applicable.

◦ Standard equipment / • Optional extras / ■ Obligatory / – not possible



# Packages

## Low Profiles

### SAFETY PACK

+ 0,5 kg

- Full Brake Control with Pedestrian Detection
- Lane Control
- Rain and Dusk Sensor
- Traffic Sign and High Beam Recognition

### EASY DRIVING PACK

+ 0,3 kg

- Adaptive Cruise Control
- Intelligent Speed Assist
- Driver Drowsiness Detection










# Motorhomes Standard



**Soft furnishing  
Maui Beach**



**Soft furnishing  
Macadamia**









Sunlight




RV SL 7002

















T 69 LC



T 69 LC



T 69 LC



T 65





T 69 LC

















# Models Overview

## Low Profiles



|   | T 58                        | T 65                                | T 66   |
|---|-----------------------------|-------------------------------------|--|
|   |                             |                                     |  |
| Permitted number of persons                               | 4 <sup>1)</sup>             | 4 / 5 <sup>OPT + 1)</sup>           | 4 <sup>1)</sup>  |
| Berths  | 2 / 3 <sup>OPT</sup>        | 2 / 5 <sup>OPT</sup>                | 2 / 3 <sup>OPT</sup>                                   |
| Length / Width / Height (cm)                              | 595 / 232 / 290             | 696 / 232 / 290                     | 690 / 232 / 290  |
| Headroom in living area (cm)                              | 195                         | 210                                 | 195  |
| Standard chassis  | Fiat Ducato                 | Fiat Ducato                         | Fiat Ducato  |
| Mass in running order (kg)                                | 2704 <sup>2)</sup>          | 2819 <sup>2)</sup>                  | 2814 <sup>2)</sup>                                     |
| Maximum load, approx. (kg)                                | 796<br>946 <sup>OPT</sup>   | 681<br>831 <sup>OPT</sup>           | 686<br>836 <sup>OPT</sup>                              |
| Technically permissible total mass (kg)                   | 3500<br>3650 <sup>OPT</sup> | 3500<br>3650 <sup>OPT</sup>         | 3500<br>3650 <sup>OPT</sup>                            |
| Wheelbase (cm)  | 345                         | 404                                 | 380  |
| Bed size overcab / pull-down bed (cm)                     | –                           | 195 × 140 / 110 <sup>OPT</sup>      | –  |
| Bed dimension: Central / middle bed, L × W (cm)           | –                           | 210 × 65 <sup>OPT</sup>             | –  |
| Bed dimension: Rear bed, L × W (cm)                       | 200 × 135 / 115             | 210 × 140 / 130                     | 210 × 80<br>200 × 80<br>210 / 200 × 210 <sup>OPT</sup> |
| Refrigerator volume incl. freezer (l)                     | 113 (14)                    | 113 (14)<br>167 (29) <sup>OPT</sup> | 113 (14)<br>167 (29) <sup>OPT</sup>                    |
| Sockets: 230 V  | 3 / 5 <sup>OPT</sup>        | 3 / 5 <sup>OPT</sup>                | 2 / 4 <sup>OPT</sup>                                   |
| Sockets: USB  | 4                           | 4                                   | 4  |
| Inner dimensions storage locker right/<br>left W × H (cm) | 65 × 75                     | 65 × 105<br>65 × 75 <sup>OPT</sup>  | 75 × 110<br>75 × 75 <sup>OPT</sup>                     |



**T 67 S**4 <sup>1)</sup>2 / 4 <sup>OPT</sup>

696 / 232 / 290

210

Fiat Ducato

2794 <sup>2)</sup>706  
856 <sup>OPT</sup>3500  
3650 <sup>OPT</sup>

380

195 × 140 / 110 <sup>OPT</sup>

–

190 × 80  
200 × 80  
200 / 190 × 210 <sup>OPT</sup>113 (14)  
167 (29) <sup>OPT</sup>2 / 4 <sup>OPT</sup>

4

95 × 110  
75 × 80 <sup>OPT</sup>**T 67**4 / 5 <sup>OPT + 1)</sup>2 / 5 <sup>OPT</sup>

735 / 232 / 290

210

Fiat Ducato

2824 <sup>2)</sup>676  
826 <sup>OPT</sup>3500  
3650 <sup>OPT</sup>

404

195 × 140 / 110 <sup>OPT</sup>210 × 100 <sup>OPT</sup>205 × 80  
210 × 80  
210 / 205 × 210 <sup>OPT</sup>113 (14)  
167 (29) <sup>OPT</sup>2 / 4 <sup>OPT</sup>

4

95 × 110  
75 × 80 <sup>OPT</sup>**T 68**4 / 5 <sup>OPT + 1)</sup>2 / 5 <sup>OPT</sup>

740 / 232 / 290

210

Fiat Ducato

2869 <sup>2)</sup>631  
781 <sup>OPT</sup>3500  
3650 <sup>OPT</sup>

404

195 × 140 / 110 <sup>OPT</sup>210 × 65 <sup>OPT</sup>210 × 80  
215 × 80  
210 / 215 × 210 <sup>OPT</sup>113 (14)  
167 (29) <sup>OPT</sup>3 / 5 <sup>OPT</sup>

4

95 × 110  
75 × 80 <sup>OPT</sup>**T 69 L**4 / 5 <sup>OPT + 1)</sup>2 / 5 <sup>OPT</sup>

740 / 232 / 290

210

Fiat Ducato

2869 <sup>2)</sup>631  
781 <sup>OPT</sup>3500  
3650 <sup>OPT</sup>

404

195 × 140 / 110 <sup>OPT</sup>210 × 65 <sup>OPT</sup>

195 × 150

113 (14)  
167 (29) <sup>OPT</sup>3 / 5 <sup>OPT</sup>

4

105 × 90  
65 × 90**T 69 LC**4 <sup>1)</sup>2 / 5 <sup>OPT</sup>

740 / 232 / 290

210

Fiat Ducato

2914 <sup>2)</sup>586  
736 <sup>OPT</sup>3500  
3650 <sup>OPT</sup>

404

195 × 140 / 110 <sup>OPT</sup>210 × 93 <sup>OPT</sup>

195 × 150

113 (14)  
167 (29) <sup>OPT</sup>3 / 5 <sup>OPT</sup>

4

105 × 90  
65 × 90**Technical Data****Standard engine**  
2,2l MJet**kW (hp)**  
88 (120)**Towing weight 12 % braked  
(unbraked) (kg)**  
2.000 / 750 kg**Tire size**  
215/70 R 15 C**Water tank incl. boiler (red. Vol.) <sup>3</sup>**  
122 (20) l**Abwassertank**  
92 l**Battery / Charger**  
95 Ah / 18 A**Heating type**  
Combi 6 Gas



# Models Overview

## A-Class



### I 67 S



### I 68



### I 69 L



Permitted number of persons

4 <sup>1)</sup>

Berths

4

Length / Width / Height (cm)

698 / 232 / 290

Headroom in living area (cm)

210

Standard chassis

Fiat Ducato

Mass in running order (kg)

2864 <sup>2)</sup>

Maximum load, approx. (kg)

636  
786 <sup>OPT</sup>

Technically permissible total mass (kg)

3500  
3650 <sup>OPT</sup>

Wheelbase (cm)

380

Bed size overcab / pull-down bed (cm)

200 x 150

Bed dimension: Central / middle bed,  
L x W (cm)

-

Bed dimension: Rear bed, L x W (cm)

190 x 80  
200 x 80  
200 / 190 x 210 <sup>OPT</sup>

Refrigerator volume incl. freezer (l)

113 (14)  
167 (29) <sup>OPT</sup>

Sockets: 230 V

2 / 4 <sup>OPT</sup>

Sockets: USB

4

Inner dimensions storage locker right/  
left W x H (cm)95 x 110  
75 x 80 <sup>OPT</sup>4 / 5 <sup>OPT + 1)</sup>4 / 5 <sup>OPT</sup>

741 / 232 / 290

210

Fiat Ducato

2939 <sup>2)</sup>561  
711 <sup>OPT</sup>3500  
3650 <sup>OPT</sup>

404

200 x 150

210 x 65 <sup>OPT</sup>210 x 80  
215 x 80  
210 / 215 x 210 <sup>OPT</sup>113 (14)  
167 (29) <sup>OPT</sup>3 / 5 <sup>OPT</sup>

4

95 x 110  
75 x 80 <sup>OPT</sup>4 / 5 <sup>OPT + 1)</sup>4 / 5 <sup>OPT</sup>

741 / 232 / 290

210

Fiat Ducato

2939 <sup>2)</sup>561  
711 <sup>OPT</sup>3500  
3650 <sup>OPT</sup>

404

200 x 150

210 x 65 <sup>OPT</sup>

195 x 150

113 (14)  
167 (29) <sup>OPT</sup>3 / 5 <sup>OPT</sup>

4

105 x 90  
65 x 90



## Coachbuilds



## A 60

4 <sup>1)</sup>

4

595 / 232 / 314

195

Fiat Ducato

2794 <sup>2)</sup>706  
856 <sup>OPT</sup>3500  
3650 <sup>OPT</sup>

345

210 × 160

—

210 × 140 / 130

113 (14)

2 / 4 <sup>OPT</sup>

4

65 × 110  
45 × 70 <sup>OPT</sup>

## A 68

4 / 6 <sup>OPT + 1)</sup>

6

660 / 232 / 314

195

Fiat Ducato

2814 <sup>2)</sup>686  
836 <sup>OPT</sup>3500  
3650 <sup>OPT</sup>

380

210 × 160

175 × 100

210 × 85  
205 × 80113 (14)  
167 (29) <sup>OPT</sup>2 / 4 <sup>OPT</sup>

2

65 × 120  
60 × 100 <sup>OPT</sup>

## A 70

4 / 6 <sup>OPT + 1)</sup>

6

725 / 232 / 314

195

Fiat Ducato

2894 <sup>2)</sup>606  
756 <sup>OPT</sup>3500  
3650 <sup>OPT</sup>

404

210 × 160

185 × 100

210 × 150 / 135

113 (14)  
167 (29) <sup>OPT</sup>2 / 4 <sup>OPT</sup>

4

105 × 120  
105 × 80 <sup>OPT</sup>

## A 72

4 / 6 <sup>OPT + 1)</sup>

6

720 / 232 / 314

195

Fiat Ducato

2884 <sup>2)</sup>616  
766 <sup>OPT</sup>3500  
3650 <sup>OPT</sup>

404

210 × 160

175 × 100

2 × 210 × 80

113 (14)  
167 (29) <sup>OPT</sup>2 / 4 <sup>OPT</sup>

2

60 × 120  
60 × 100 <sup>OPT</sup>



# Standard equipment



## BASIC VEHICLE



- Fiat Ducato 2,2 l Multijet 88 kW (120 BHP) – EURO 6
- Eco Pack Start & Stop function incl. booster
- Cruise control
- Manual cab air conditioning
- Wide-track chassis
- Front Wheel Drive
- Painted bumper <sup>4)</sup>
- Daytime running lights, integrated in headlights
- Driver airbag
- Passenger airbag
- ABS, EBD, ESP incl. ABS and hillholder
- Electric operated cab windows and central locking <sup>4)</sup>
- Fix & Go breakdown kit
- Central cup holder
- Comfortable driving experience with rear and front axle stabilizers
- Disc brakes, heat convection, tachometer, power steering, immobiliser, 3-point seat belt
- Fiat steel rims 15" including wheel trims
- Tablet holder and USB port
- Driver and passenger seats with armrests & upholstered covers
- Driver and passenger seats swivel
- 75 l fuel tank
- Height and rake adjustment for driver seat (passenger seat as an option)
- Panoramic laminated glass windshield all-round <sup>30)</sup>
- Low vibration, electrical and heated cab mirrors in coach optic with wide angle <sup>30)</sup>

## BATHROOM



- Variobath <sup>10)</sup>
- Spacious bathroom with separate shower on the opposite side <sup>11)</sup>
- Bathroom with bench toilet and integrated shower cubicle <sup>12)</sup>
- Swivel cassette toilet with electric flush <sup>13)</sup>
- Roof vent with integrated flyscreen blind (depending on model)
- Large mirrors
- Clothes rail in bathroom
- Flexible railing system with two hooks <sup>14)</sup>
- Bathroom with separate shower <sup>28)</sup>

## CONVERSION



- 7-year water ingress warranty <sup>5)</sup>
- GRP (glass fibre reinforced plastic) roof and rear wall
- Aluminium sidewalls
- Roof and sidewall thickness: 34 mm, floor thickness: 41 mm
- Rear moulding with integrated lights in three parts
- High quality entrance door with ergonomic handle inside and outside
- Flyscreen door (one-piece)
- Double glazed hinged window with cassette blinds and flyscreens (except for bathroom)
- Roof light with frosted perspex glass and flyscreen
- Electric entrance step <sup>4)</sup>
- Large rear garage with lowered frame, lashing rings and interior lighting (depending on model)
- Splash water seals for the exterior storage locker and doors
- Payload in garage up to 150 kg
- Cab blinds for best insulation and privacy shield <sup>30)</sup>
- Coupé entrance <sup>30)</sup>

## COMFORT



- Ergonomically shaped upholstery for improved seat comfort
- Isofix for 2 seats
- L-shape lounge with free-standing and rotating table <sup>6)</sup>
- Table extension <sup>7)</sup>
- High-quality mattress in all beds
- Mattress cover removable and washable
- Wooden slatted frame in all fixed-beds for better sleeping comfort
- Safety net on overcab beds, bunk beds and on pull-down beds (depending on model)
- Spacious storage compartments and storage options
- Ventilation for storage locker and seat backrest
- Furniture colour Sensual Oak and Cosy White
- Floor CClassic Ambience
- Overcab with side window on the right, hot air nozzles, 72 cm headroom and 210 x 160 cm bed size <sup>27)</sup>
- Sliding overcab bed for an improved access to the cab <sup>27)</sup>
- Pull-down bed with Clima-Plux elements as standard on A-Class models

## INSTALLATIONS



- Overhead locker with integrated LED light
- High-performance, maintenance-free leisure battery (95 Ah AGM)
- Bord-control-panel supplies information about filling levels and battery capacity
- Automatic switching and separating systems for starter and leisure battery as well as for refrigerator
- Electric charger for leisure and vehicle battery 12 V / 18 A
- CEE 230 V external socket with safety device
- Residual Current Device (RCD)
- LED-Awning light
- LED interior light
- 4 x USB Socket (layout depending)

## KITCHEN



- Ergonomically arranged kitchen with spacious work top
- Large drawers with soft-close in the kitchen unit
- 3-burner hob with cast iron pan support and glass lid <sup>8)</sup>
- Large, round kitchen sink in stainless steel with black glass lid <sup>8)</sup>
- Water tank incl. boiler 122 l, waste water tank 92 l
- Fridge 113 l with freezer compartment 14 l
- LED light-band
- Waste bin
- Flexible railing system with two hooks <sup>9)</sup>

## HEATING / GAS SUPPLY



- Combi 6 gas heating with integrated 10 l boiler
- Gas control valves easily accessible and centrally arranged
- Gas bottle locker for 2 x 11 kg gas bottles

## SOFT FURNISHING



- Macadamia
- Maui Beach

All prices are recommended retail prices in GBP including legal applicable VAT, On The Road Charges (OTR including delivery from Germany, registration and PDI). Possible import duties are not included and will be charged separately.

- General note on permitted persons: With the installation of factory chassis options, optional equipment and packages, the permitted number of passengers can be reduced or a load uprating may be needed (see optional extras). Homologation of more than 4 persons only in conjunction with the safety pack (Overcab) or the optional 5th seat (Semi-Integrated / Integrated).
- The "mass in running order" (MRO) is defined by VO (EU) 1230 / 2012. It refers to the basic version including basic equipment (75 kg for driver, filled

fuel tank, filled water tank in driving position, gas filled in an aluminum bottle (15 kg) and electrical connection cable (4 kg)).

- Capacity of fresh water tank within the Regulation VO (EU) 1230/2012, taking into account the limitation valve on the fresh water tank (20 litres) is open. The technically permissible total mass and the permissible axle loads must not to be exceeded.
- For low-profile and overcab.
- The water ingress warranty conditions of Sunlight GmbH apply.
- for T 68, T 69 L, I 68, I 69 L
- except T 68, T 69 L, T 69 LC, I 68, I 69 L, A 68, A 70, A 72
- except T 69 LC
- except T 67 S, A 72, I 67 S



# Optional extras



## BASIC VEHICLE

|   | WEIGHT  | T 58 | T 66 | T 65 | T 67 S | T 67 | T 68 | T 69 L | T 69 LC | A 60 | A 68 | A 70 | A 72 | I 67 S | I 68 | I 69 L |
|---|---------|------|------|------|--------|------|------|--------|---------|------|------|------|------|--------|------|--------|
| Fiat Ducato 2,2 l Multijet 103 kW (140 BHP) – EURO 6  | /       | •    | •    | •    | •      | •    | •    | •      | •       | •    | •    | •    | •    | •      | •    | •      |
| Fiat Ducato 2,2 l Multijet 118 kW (160 BHP) – EURO 6  | 15 kg   | •    | •    | •    | •      | •    | •    | •      | •       | •    | •    | •    | •    | •      | •    | •      |
| Weight increase to 3,65 t (no chassis modification)   | /       | •    | •    | •    | •      | •    | •    | •      | •       | •    | •    | •    | •    | •      | •    | •      |
| 9 shift automatic gearbox <sup>10)</sup> (not in conjunction with 120 bhp) <sup>15)</sup>               | 18 kg   | •    | •    | •    | •      | •    | •    | •      | •       | •    | •    | •    | •    | •      | •    | •      |
| FIAT 16" steel rims (for light chassis) with Fiat wheel trims   | 10 kg   | •    | •    | •    | •      | •    | •    | •      | •       | •    | •    | •    | •    | •      | •    | •      |
| FIAT original 16" alloy wheels for Light Chassis  | 8 kg    | •    | •    | •    | •      | •    | •    | •      | •       | •    | •    | •    | •    | •      | •    | •      |
| 90 l fuel tank  | 13,5 kg | •    | •    | •    | •      | •    | •    | •      | •       | •    | •    | •    | •    | •      | •    | •      |
| Multifunction steering wheel  | 0,4 kg  | •    | •    | •    | •      | •    | •    | •      | •       | •    | •    | •    | •    | •      | •    | •      |
| Full LED Headlamps incl. wiping indicators and LED daytime running lights <sup>16)</sup> <sup>17)</sup> | /       | •    | •    | •    | •      | •    | •    | •      | •       | •    | •    | •    | •    | –      | –    | –      |
| LED daytime running lights <sup>18)</sup>   | /       | •    | •    | •    | •      | •    | •    | •      | •       | •    | •    | •    | •    | –      | –    | –      |
| Headlights with black frame <sup>17)</sup>  | /       | ■    | ■    | ■    | ■      | ■    | ■    | ■      | ■       | ■    | ■    | ■    | ■    | –      | –    | –      |
| Full Digital Cluster <sup>19)</sup>   | 0,3 kg  | •    | •    | •    | •      | •    | •    | •      | •       | •    | •    | •    | •    | •      | •    | •      |



## CONVERSION

|   |      |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |
|---|------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| High-level rear light cluster   | 4 kg | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • |
| Framed windows  | 5 kg | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • |
| Insulated waste water tank  | 8 kg | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • |
| Cab sunroof   | 7 kg | • | • | • | • | • | • | • | • | – | – | – | – | – | – | – |
| 2 <sup>nd</sup> external storage door (size depends on layout) <sup>20)</sup> | 3 kg | – | • | • | • | • | • | ◦ | ◦ | • | • | • | • | • | • | ◦ |
| Two rear corner steadies  | 6 kg | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • |



## COMFORT

|   |        |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |
|---|--------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Bed conversion single to double bed   | 5 kg   | – | • | – | • | • | • | – | – | – | – | – | – | • | • | – |
| Bed conversion for seating area <sup>21)</sup>  | 5 kg   | – | – | • | – | • | • | • | • | – | ◦ | ◦ | ◦ | – | • | • |
| Pull-down bed with Clima-Plux elements  | 44 kg  | – | – | • | • | • | • | • | • | – | – | – | – | ◦ | ◦ | ◦ |
| Additional wardrobe   | /      | – | • | – | – | – | – | – | – | – | – | – | – | – | – | – |
| 5 <sup>th</sup> seat on side bench with seat belt <sup>20)</sup> <sup>21)</sup>   | 15 kg  | – | – | • | – | • | • | • | – | – | – | – | – | – | • | • |
| Wooden duckboard for the shower tray  | 2 kg   | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • |
| Carpet  | 5 kg   | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • |
| Foldable window blinds  | 7,5 kg | • | • | • | • | • | • | • | • | • | • | • | • | ◦ | ◦ | ◦ |
| Safety Pack: 2 headrests and 2 lap belts on bench against direction of travel (Persons permitted depending on vehicle weight) | 6 kg   | – | – | – | – | – | – | – | – | – | • | • | • | – | – | – |



## INSTALLATIONS

|  |       |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |
|--|-------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Second AGM leisure battery 95 Ah   | 27 kg | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • |
| Heating Combi 6 E (with el. heating element) incl. digital control panel | 2 kg  | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • |
| Floor heating electric in living area                                    | 6 kg  | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • |
| 12V TV pre-cabling incl. flat screen holder                              | 3 kg  | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • |
| Pre-cabling reversing camera   | 1 kg  | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • |
| Pre-cabling solar system   | 2 kg  | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • |
| Oven in kitchen <sup>22)</sup>   | 12 kg | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • |
| Extractor fan  | 3 kg  | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • |
| Large 167 l fridge with separate 29 l freezer compartment <sup>23)</sup> | 13 kg | – | • | • | • | • | • | • | • | – | • | • | • | • | • | • |

10) in A 60, T 66, T 67, T 67 S, A 72 and I 67 S

11) in T 65, T 69 S, T 68, T 69 L, T 69 LC, I 68 and I 69 L

12) in T 58

13) except T 58

14) except T 66, T 67 S, T 67, I 67 S, A 60, A 68, A 70, A 72

15) Only in conjunction with 16" alloy wheels.

16) Only in conjunction with headlights with black frame.

17) Only in conjunction with style pack.

18) Not in conjunction with full LED headlights.

19) Only in conjunction with multifunction steering wheel.

20) When ordering the option „5th seat on side bench with safety belt“, the interior storage space flap is not applicable.

21) General information about authorised number of persons:

The permitted number of persons is adjusted by taking into account the gross weight.

22) Not for a-class models

23) Only in conjunction with adventure line pack and active pack, awning an bike rack in black colour.

24) For Overcab models.

25) in A 68 and A 70

26) Lower window will be omitted on A 72 and A 68.

27) for Integrated models

28) When ordering the option bed conversion of the seating area in the integrated unit the bed entrance is via the side bench.



# Packages

## Low Profiles and Coachbuilts

### BASIC

+ 29 kg

- Electric and heated mirrors
- Radio pre-wiring including speakers
- Radio aerial integrated in mirror
- Height-adjustable passenger seat
- Panoramic roof light over kitchen area
- Clear glass roof light 40 × 40
- Shower cubicle lining
- Mirror with indirect lighting and coat hooks
- Captain chairs with covers
- Additional power outlet in overhead locker above the kitchen unit
- Power outlet in the garage

### SAFETY

+ 0,5 kg

- Full Brake Control with Pedestrian Detection
- Lane Control
- Rain and Dusk Sensor
- Traffic Sign and High Beam Recognition

### EASY DRIVING

+ 0,3 kg

- Adaptive Cruise Control
- Intelligent Speed Assist
- Driver Drowsiness Detection

### STYLE

+ 0 kg

- Leather steering wheel and gear knob in leather trim
- Air outlets with applications silver (Techno-Trim)
- Radiator grill in glossy black

## Adventure Line

### Low Profiles

+ 3,5 kg

- Soft furnishing Adventure
- Chassis colour black
- Painted bumper
- Black matt Adventure Decals
- Side wall silver smooth plate
- Style Pack
- Headlights with black frame





# Packages

## A-Class

### BASIC PACK

+ 39,5 kg

- Radio pre-wiring with loudspeakers and roof antenna
- Height-adjustable passenger seat
- Panoramic roof light over lounging area
- Clear glass roof light 40 × 40
- Shower cubicle lining
- Mirror with indirect lighting and coat hooks
- Pilote seats with covers
- Additional power outlet in overhead locker above the kitchen unit
- Power outlet in the garage
- Driver's cab door left
- Clear glass roof light 40 × 40 (above pull-down bed)

### STYLE PACK A-CLASS

+ 0 kg

- Leather steering wheel and gear knob in leather trim
- Air outlets with applications silver (Techno-Trim)
- Design Intakes

## Adventure Line

### Coachbuilts

+ 3,5 kg

- Soft furnishing Adventure
- Chassis colour black
- Painted bumper
- Black matt Adventure Decals
- Style Pack
- Headlights with black frame







## International

### General information

The »mass in running order« (MRO) is defined by VO (EU) 1230/2012. It refers to the basic version including basic equipment (75 kg for driver, filled fuel tank, filled water tank in driving position with 20 liters, gas in an aluminum bottle to 100 % and electrical connection cable). The »mass in running order« as well as the possible payload and the number of passengers may change due to different motorization or equipment version and by the installation of special equipment. Deviations within the scope of the factory tolerances (+/- 5 %) are possible and permissible. If you order your vehicle with additional equipment and / or travel with several people, you should check whether it makes sense to increase the weight of the vehicle. The information regarding delivery, appearance, performance, dimensions and

## Made in Germany

weight of the vehicles correspond to the existing knowledge at the date of printing and to the European homologation regulations. These may change by the time the vehicle is purchased or delivered. Price list Sunlight motorhomes version 07/2021, prices valid from 08.08.2021. With the issue of this price list all previous price lists are no longer valid. Throughout Europe there might be different Euro prices. Depending on the country specifications in standard equipment, VAT or luxury tax. Copyright: Sunlight GmbH. Errors and printing mistakes on prices and technical data are reserved. Subject to technical changes. Some of the images in this Sunlight catalogue may show alternative designs or optional equipment that may incur additional costs. Actual colour may differ due to printing.

**A company of the ERWIN HYMER GROUP.**